



Athens Authentication Point

**Recognized as:**

U.S. Patent & Trademark  
Office, Scientific & Technical  
(665-54-532)

US Patent and Trademark  
2007 3686.002  
(911-40-100)

**Welcome!**

To use the personalized  
features of this site, please  
**log in** or **register**.

If you have forgotten your  
username or password, we  
can **help**.

**My SpringerLink**

Marked Items


Alerts

Order History

**Saved Items**

All

Favorites

**Content Types   Subject Collections****Journal Article**

Continuous intraoperative external monitoring of  
perfusate leak using iodine-131 human serum  
albumin during isolated perfusion of the liver and  
limbs

Journal	European Journal of Nuclear Medicine and Molecular Imaging
Publisher	Springer Berlin / Heidelberg
ISSN	1619-7070 (Print) 1619-7089 (Online)
Issue	Volume 22, Number 11 / November, 1995
Category	Original Article
DOI	10.1007/BF00801607
Pages	1242-1248
Subject Collection	Medicine
SpringerLink Date	Tuesday, December 21, 2004

**William C. Barker<sup>1</sup> ✉, Mary P. Andrich<sup>1</sup>,  
H. Richard Alexander<sup>2</sup> and Douglas L. Fraker<sup>2</sup>**

- (1) Nuclear Medicine Department, Warren Grant Magnuson Clinical Center, National Institutes of Health, 20892 Bethesda, MD, USA
- (2) Surgery Branch, National Cancer Institute, National Institutes of Health, 20892 Bethesda, MD, USA

**Received:** 1 June 1995 **Revised:** 7 June 1995

**Abstract** Regional isolated perfusion using tumor necrosis factor (TNF) shows significant promise for treatment of cancer which is limited to limbs or organs. The high toxicity of TNF requires very sensitive real time monitoring of leakage in order to avoid serious patient complications. Human serum albumin labeled with iodine-131 is used with an externally mounted and collimated NaI(Tl) detector to track the leakage of blood from the isolated perfusion blood circuit into the general systemic vascular space. Blood activity levels measured using the monitor demonstrated a very good correlation with blood serum samples taken concurrently with external monitoring. External monitoring can reduce the risks of perfusion leakage intraoperatively with the precision necessary to safely perform isolated perfusion using TNF.

**Key words** Perfusion, regional - Tumor necrosis factor - Iodine radioisotopes - Intraoperative monitoring

---

## References

1. Creech OJ, Krementz ET, Ryan RF, Winblad JN. Chemotherapy of cancer: regional perfusion utilizing an extracorporeal circuit. *Ann Surg* 1958; 148: 616–632.
2. Biermann HR, Byron RL, Miller ER, Shimkin MB. The effects of intra-arterial administration of nitrogen mustard. *Am J Med* 1950; 8: 535.
3. Krementz ET, Creech OJ, Ryan RF, Wickstrom J. Treatment of malignant tumors of the extremities by perfusion with chemotherapeutic agents. *J Bone Joint Surg* 1959; 41: 977–987.
4. Stehlin JS, Clark RL, White EC, et al. Regional chemotherapy for cancer: experiences with 116 perfusions. *Ann Surg* 1960; 151: 605–619.
5. Steldin JS. Hyperthermic perfusion with chemotherapy for cancers of the extremity. *Surg Gynecol Obstet* 1969; 129: 305–308.
6. Hafstrom L, Hugander A, Jonsson PE, Westling H, Ehrsson H. Blood leakage and melphalan leakage from the perfusion circuit during regional hyperthermic perfusion for malignant melanoma. *Cancer Treat Rep* 1984; 68: 867–872.
7. Lejeune FJ, Lienard D, el Douaihy M, Seyedi JV, Ewalenko P. Results of 206 isolated limb perfusions for malignant melanoma. *Eur J Surg Oncol* 1989; 15: 510–519.
8. Neades GT, Evans WD, Mansel RE. Choice of agent and prediction of systemic toxicity in isolated hyperthermic limb perfusion. *Reg Cancer Treat* 1991; 3: 252–255.
9. Hoekstra HJ, Naujocks T, Koops HS, et al. Continuous leakage monitoring during hyperthermic isolated regional perfusion of the lower limb: techniques and results. *Reg Cancer Treat* 1992; 4: 301–304.
10. Alexander C, Omlor G, Berberich R, Gross G, Feifel G. Rapid measurement of blood leakage during regional chemotherapy. *Eur J Nucl Med* 1993; 20: 187–191.
11. Lejeune FJ, Lienard D, Leyvraz S, Mirimanoff RO. Regional therapy of melanoma. *Eur J Cancer* 1993; 4: 606–612.
12. Stehlin JS, Clark RL, Dewey W. Continuous monitoring of leakage during regional perfusion. *Arch Surg* 1961; 83: 165–171.
13. Sardi A, Minton JP, Mojzisik C, et al. The use of a hand-held gamma

detector improves the safety of isolated limb perfusion. *J Surg Oncol* 1989; 41: 172–176.

14. Lienard D, Ewalenko P, Delmotte JJ, Renard N, Lejeune FJ. High-dose recombinant tumor necrosis factor alpha in combination with interferon gamma and melphalan in isolation perfusion of the limbs for melanoma and sarcoma. *J Clin Oncol* 1992; 10: 52–60.
15. Thom AK, Alexander HR, Andrich MP, Barker WC, Rosenberg SA, Fraker DL. Cytokine levels and systemic toxicity in patients undergoing isolated limb perfusion with high-dose tumor necrosis factor interferon gamma and melphalan. *J Clin Oncol* 1995; 13: 264–273.
16. Shaw B Jr., Martin DJ, Marquez JM, et al. Venous bypass in clinical liver transplantation. *Ann Surg* 1984; 200: 524–534.
17. Goldberg ME, Rosenblum HM, Seltzer JL, Rosato FE. Isolated regional perfusion; anaesthetic technique, monitoring and blood replacement. *Can Anaesth Soc J* 1984; 31: 552–558.
18. Kroon BB. Regional isolation perfusion in melanoma of the limbs; accomplishments, unsolved problems, future. *Eur J Surg Oncol* 1988; 14: 101–110.

[Frequently asked questions](#) | [General information on journals and books](#) | [Send](#)

© Springer. Part of Springer Science+Business Media

[Privacy](#), [Disclaimer](#), [Terms and Conditions](#), [© Copyright Information](#)

Remote Address: 151.207.240.4 • Server: mpweb20

HTTP User Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)



Athens Authentication Point

### Recognized as:

U.S. Patent & Trademark  
Office, Scientific & Technical  
(665-54-532)

US Patent and Trademark  
2007 3686.002  
(911-40-100)

### Welcome!

To use the personalized  
features of this site, please  
**log in** or **register**.

If you have forgotten your  
username or password, we  
can **help**.

### My SpringerLink

Marked Items

Alerts

Order History

### Saved Items


All

Favorites



## Content Types Subject Collections

### Journal Article



Continuous intraoperative external monitoring of  
perfusate leak using iodine-131 human serum  
albumin during isolated perfusion of the liver and  
limbs

Journal	European Journal of Nuclear Medicine and Molecular Imaging
Publisher	Springer Berlin / Heidelberg
ISSN	1619-7070 (Print) 1619-7089 (Online)
Issue	Volume 22, Number 11 / November, 1995
Category	Original Article
DOI	10.1007/BF00801607
Pages	1242-1248
Subject Collection	Medicine
SpringerLink Date	Tuesday, December 21, 2004

**available now at [springer.com](http://springer.com)**

**William C. Barker<sup>1</sup> ✉, Mary P. Andrich<sup>1</sup>,  
H. Richard Alexander<sup>2</sup> and Douglas L. Fraker<sup>2</sup>**

- (1) Nuclear Medicine Department, Warren Grant Magnuson Clinical Center,  
National Institutes of Health, 20892 Bethesda, MD, USA
- (2) Surgery Branch, National Cancer Institute, National Institutes of Health,  
20892 Bethesda, MD, USA

**Received:** 1 June 1995 **Revised:** 7 June 1995

**Abstract** Regional isolated perfusion using tumor necrosis factor (TNF) shows significant promise for treatment of cancer which is limited to limbs or organs. The high toxicity of TNF requires very sensitive real time monitoring of leakage in order to avoid serious patient complications. Human serum albumin labeled with iodine-131 is used with an externally mounted and collimated NaI(Tl) detector to track the leakage of blood from the isolated perfusion blood circuit into the general systemic vascular space. Blood activity levels measured using the monitor demonstrated a very good correlation with blood serum samples taken concurrently with external monitoring. External monitoring can reduce the risks of perfusion leakage intraoperatively with the precision necessary to safely perform isolated perfusion using TNF.

**Key words** Perfusion, regional - Tumor necrosis factor - Iodine radioisotopes - Intraoperative monitoring

---

## References

1. Creech OJ, Krementz ET, Ryan RF, Winblad JN. Chemotherapy of cancer: regional perfusion utilizing an extracorporeal circuit. *Ann Surg* 1958; 148: 616–632.
2. Biermann HR, Byron RL, Miller ER, Shimkin MB. The effects of intra-arterial administration of nitrogen mustard. *Am J Med* 1950; 8: 535.
3. Krementz ET, Creech OJ, Ryan RF, Wickstrom J. Treatment of malignant tumors of the extremities by perfusion with chemotherapeutic agents. *J Bone Joint Surg* 1959; 41: 977–987.
4. Stehlin JS, Clark RL, White EC, et al. Regional chemotherapy for cancer: experiences with 116 perfusions. *Ann Surg* 1960; 151: 605–619.
5. Steldin JS. Hyperthermic perfusion with chemotherapy for cancers of the extremity. *Surg Gynecol Obstet* 1969; 129: 305–308.
6. Hafstrom L, Hugander A, Jonsson PE, Westling H, Ehrsson H. Blood leakage and melphalan leakage from the perfusion circuit during regional hyperthermic perfusion for malignant melanoma. *Cancer Treat Rep* 1984; 68: 867–872.
7. Lejeune FJ, Lienard D, el Douaihy M, Seyedi JV, Ewalenko P. Results of 206 isolated limb perfusions for malignant melanoma. *Eur J Surg Oncol* 1989; 15: 510–519.
8. Neades GT, Evans WD, Mansel RE. Choice of agent and prediction of systemic toxicity in isolated hyperthermic limb perfusion. *Reg Cancer Treat* 1991; 3: 252–255.
9. Hoekstra HJ, Naujocks T, Koops HS, et al. Continuous leakage monitoring during hyperthermic isolated regional perfusion of the lower limb: techniques and results. *Reg Cancer Treat* 1992; 4: 301–304.
10. Alexander C, Omlor G, Berberich R, Gross G, Feifel G. Rapid measurement of blood leakage during regional chemotherapy. *Eur J Nucl Med* 1993; 20: 187–191.
11. Lejeune FJ, Lienard D, Leyvraz S, Mirimanoff RO. Regional therapy of melanoma. *Eur J Cancer* 1993; 4: 606–612.
12. Stehlin JS, Clark RL, Dewey W. Continuous monitoring of leakage during regional perfusion. *Arch Surg* 1961; 83: 165–171.
13. Sardi A, Minton JP, Mojzisik C, et al. The use of a hand-held gamma

detector improves the safety of isolated limb perfusion. *J Surg Oncol* 1989; 41: 172–176.

14. Lienard D, Ewalenko P, Delmotte JJ, Renard N, Lejeune FJ. High-dose recombinant tumor necrosis factor alpha in combination with interferon gamma and melphalan in isolation perfusion of the limbs for melanoma and sarcoma. *J Clin Oncol* 1992; 10: 52–60.
15. Thom AK, Alexander HR, Andrich MP, Barker WC, Rosenberg SA, Fraker DL. Cytokine levels and systemic toxicity in patients undergoing isolated limb perfusion with high-dose tumor necrosis factor interferon gamma and melphalan. *J Clin Oncol* 1995; 13: 264–273.
16. Shaw B Jr., Martin DJ, Marquez JM, et al. Venous bypass in clinical liver transplantation. *Ann Surg* 1984; 200: 524–534.
17. Goldberg ME, Rosenblum HM, Seltzer JL, Rosato FE. Isolated regional perfusion; anaesthetic technique, monitoring and blood replacement. *Can Anaesth Soc J* 1984; 31: 552–558.
18. Kroon BB. Regional isolation perfusion in melanoma of the limbs; accomplishments, unsolved problems, future. *Eur J Surg Oncol* 1988; 14: 101–110.

[Frequently asked questions](#) | [General information on journals and books](#) | [Send](#)

© Springer. Part of Springer Science+Business Media

[Privacy](#), [Disclaimer](#), [Terms and Conditions](#), [© Copyright Information](#)

Remote Address: 151.207.240.4 • Server: mpweb20

HTTP User Agent: Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1; .NET CLR 1.1.4322)



## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(422/44 422/45) and pump and oxygenator and "analysis gas" and sensor	USPAT	OR	OFF	2006/11/08 16:20
S2	1	blood and pump and oxygenator and "analysis gas" and sensor	USPAT	OR	OFF	2006/11/08 16:21
S4	3	pump and oxygenator and sensor and "isolated perfusion"	USPAT	OR	OFF	2006/11/08 16:35
S3	3	blood and pump and oxygenator and sensor and "isolated perfusion"	USPAT	OR	OFF	2006/11/08 16:35
S7	1057	(604/96.01).CCLS.	USPAT; USOCR	OR	OFF	2006/11/08 17:02
S6	1265	604/96.01	USPAT	OR	OFF	2006/11/08 17:02
S5	1	pump and oxygenator and sensor and ("laughing gas" or "N2.sub.O")	USPAT	OR	OFF	2006/11/08 17:02
S8	121	604/96.01 and analysis	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:07
S12	0	"isolated perfusion" and "leak detect\$3"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:25
S11	0	604/96.01 and "leak detect\$3"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:25
S10	2635293	604/96.01 and leak detect\$3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:25
S9	6	604/96.01 and (analysis with gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:25
S13	0	"isolated perfusion" and (leak with detect\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:26
S14	16774	(leak with detect\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:27
S15	68	leak and sensor and extracorporeal and oxygenator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/08 17:29
S16	13	leak and (gas with sensor) and extracorporeal and oxygenator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:14
S18	73	"laughing gas" and blood	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:15

## EAST Search History

S17	87187	laughing gas and blood	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:15
S19	2	"laughing gas" and extracorporeal	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:29
S20	12	"N.sub.2O" and extracorporeal	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:35
S21	115	extracorporeal and oxygenator and (air with outlet)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:37
S23	136	extracorporeal and oxygenator and ((air gas) with outlet) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:46
S22	47	extracorporeal and oxygenator and (air with outlet) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 10:46
S24	45	extracorporeal and oxygenator and ((air gas) with outlet) and (gas with sensor)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 11:19
S25	89	oxygenator and (output with line) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 11:31
S26	1	((air gas) adj outlet adj line) near oxygenator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/09 11:33
S28	3	600/531 and blood with treatment	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:04
S27	0	600/531 and extracorporeal	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:04
S31	37	600/531 and (gas with sensor) and NO and blood	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:06
S30	73	600/531 and (gas with sensor) and NO	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:06
S35	8	604/65 and extracorporeal and (gas with sensor )	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:11
S34	113	604/65 and extracorporeal and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:11

## EAST Search History

S33	158	604/65 and extracorporeal	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:11
S32	180	604/65 and (blood with treatment)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:11
S29	3	600/531 and (blood with treatment)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:11
S36	8	604/65 and extracorporeal and (gas with sensor)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:20
S37	0	604/96.01 and (gas with sensor) and oxygenator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:21
S38	10	604/96.01 and oxygenator and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:27
S39	49	422/45 and oxygenator and (gas with outlet) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:33
S40	27	422/45 and oxygenator and (gas with removal) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:34

## EAST Search History

S42	72	("3701433"   "3827562"   "4056476"   "4087363"   "4111829"   "4126558"   "4157965"   "4164468"   "4280495"   "4283289"   "4319580"   "4354500"   "4354501"   "4354502"   "4401566"   "4411783"   "4490254"   "4490331"   "4493705"   "4572724"   "4653577"   "4662906"   "4676771"   "4690762"   "4698207"   "4747826"   "4876066"   "4919802"   "4923438"   "4981413"   "5011469"   "5017103"   "5055198"   "5158533"   "5162102"   "5188604"   "5205153"   "5232437"   "5266265"   "5270005"   "5334309"   "5394732"   "5411472"   "5445613"   "5503801"   "5514335"   "5591251"   "5632894"   "5634892"   "5651765"   "5746575"   "5762684"   "5823986"   "5840068"   "5863179"   "5876611"   "5899873"   "5997816"   "6017493"   "6206632"   "6224829"   "6241945"   "6267926"   "6302860"   "6315751"   "6328712"   "6337049"   "6508859"   "6524267"   "6730267").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/14 09:57
S41	28	422/45 and (gas with removal) and sensor	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 09:57
S44	1604741	604/96.01 and laughing gas	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:37
S43	7	422/45 and (gas with removal with sensor)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:37
S46	0	604/96.01 and (laughing with gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:38
S45	368	604/96.01 and (laughing gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:38
S47	0	604/65 and (laughing with gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:39
S48	1	604/65 and "n.sub.2o"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:42

## EAST Search History

S49	1408	604/96.01	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:44
S50	336	604/96.01 and pump	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:45
S51	48	604/96.01 and pump and oxygenator	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:55
S55	0	604/96.01 and (alarm near gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:56
S54	0	604/96.01 and (alarm with gas)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:56
S53	0	604/96.01 and "alarm with gas"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:56
S52	0	604/96.01 and "analysis gas"	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2006/11/14 10:56
S56	1	("5957880").PN.	USPAT; USOCR	OR	OFF	2006/11/14 14:26
S58	1	S57 and (laughing adj gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:00
S57	172	(isolated adj perfusion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:00
S61	26	S57 and leak	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:01
S60	0	S57 and (leak adj3 detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:01

## EAST Search History

S59	2	S57 and (analysis adj gas)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:01
S62	2	("0143804").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:33
S63	19	("4192302"   "4540402"   "4655746"   "4714460"   "4883459"   "5308320"   "5433700"   "5458574"   "5478309"   "5702368"   "5746717"   "5817046").PN. OR ("6287273").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/05/02 15:36
L2	3	mumme-achim\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 15:36
L1	2	MEISNER-andreas\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 15:36